

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"5764750".PN. OR "5844596".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:43
L2	2	1 AND (TRANSLAT\$4 OR CONVERT\$3 OR CONVERSION\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:47
L3	2	modulat\$4 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:52
L4	4	1 and signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:48
L5	3	correct adj signal adj variations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:48
L6	174	correct near3 signal near3 variations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:49
L7	638	correct\$3 near3 signal near3 variations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:49
L8	401	7 and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:55
L9	236007	modulat\$4 near3 signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:50
L10	111	9 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:51

L11	1661	(bridge or adapter or router or gateway or pbx) with (modulat\$4 near3 signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:50
L12	2	11 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:50
L13	14	10 and (pbx or router\$1 or gateway\$1 or bridge or adapter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:55
L14	0	3 and correct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:53
L15	1	(correct near3 signal) with endpoint\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:54
L16	1	(correct near2 signal) with endpoint\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:54
L17	235643	modulat\$3 near3 signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:54
L18	5104	17 same correct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:55
L19	445	18 and (pbx or router\$1 or gateway\$1 or bridge or adapter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:55
L20	154	19 and @ad<"19970305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:55

L21	6	("5864607") or ("5574748") or ("6038300").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:57
L22	1	"6317884".pn. and modulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:57